

Claims

Sub
Al

(1) A method for displaying character strings on GUI environment provided by a computer program, comprising the steps of:

(a) providing an executable program;

5 (b) providing a text file including said character strings and being openable with said executable program;

(c) executing said executable program;

(d) opening the text file and retrieving said character strings from the executable program; and

10 (e) displaying the character strings included in the opened text file.

(2) The method of Claim 1 wherein said text file further includes a search key and wherein said opening and displaying comprise the steps of:

15 searching said search key;

retrieving the character strings in said text file when

said search key enabled is detected in said searching;

displaying the retrieved character strings; and

displaying character strings embedded in said executable
program when the search key disabled is detected in said
searching.

- 5
- (3) A structure of a computer program enabling character strings
to be displayed on GUI environment, including:

a code for defining said GUI environment;

10 a code for opening a text file including said character
strings; and

a code for displaying character strings described in said
opened text file.

- 15 (4) The structure of a computer program as in Claim 4 further
comprising a default character string and wherein said code
for opening a text file and said code for displaying
comprise:

a code for searching a search key of a text file including a

selected character string;

a code for displaying said selected character string when said search key to be enabled is detected; and

a code for displaying said default character string when said search key to be disabled is detected.

- (5) A method for creating a computer program enabling character strings to be displayed on GUI environment, including the steps of:

describing a code for providing said GUI environment;

describing a code for opening a text file including said character strings; and

describing a code for displaying character strings described in said opened text file.

- (6) A method for creating a computer program of Claim 5 further comprising describing a default character string and wherein said describing a code for opening a text file and said describing a code for displaying character strings comprise the steps of:

describing a code for searching a search key of a text file including a selected character string; and

describing a code for displaying said selected character string when said search key to be enabled is detected and for

displaying said default character string when said search key of said text file to be disabled is detected.

- (7) A recording medium for recording a computer program enabling character strings to be displayed on GUI environment and enabling a computer to read said recorded computer program, including;

a code for providing said GUI environment;

a code for opening a text file including said character strings; and

a code for displaying said character strings described in said opened text file.

- (8) The recording medium for recording a computer program of Claim 7 further comprising a code for providing a default

character string and wherein said code for opening comprises a code for searching a search key of a text file including a selected character string, and wherein said code for displaying comprises a code for displaying said selected character string when said search key to be enabled is detected and a code for displaying said default character string when said search key to be disabled is detected.

(9) A method for creating a computer program including control-related character strings, including the steps of;

(a) creating a text file describing said character strings; and

(b) creating a program file describing a code for opening said text file.

(10) The method for creating a computer program of Claim 9 wherein said creating a text file comprises creating a text file including a selected character string and a search key; and, wherein said creating a program file comprises creating a program file including a default character string and a code for shifting control to said selected character string when said search key to be enabled is detected and giving control to said default character string when said search

09755308.010201

key to be disabled is detected.

- (11) A structure of a computer program including at least one character string related to computer control, including:

a code for opening a text file including said at least one character string; and

a code for using said at least one character string described in said opened text file to control said computer.

- (12) The structure of a computer program of Claim 11 further comprising a default character string and wherein said code for opening a text file comprises a code for searching a search key of a text file including a selected character string; and wherein said code for using at least one character string comprises a code for using said selected character string to control said computer when said search key to be enabled is detected and a code for using said default character string to control said computer when said search key to be disabled is detected.